

=> d his  
(FILE 'USPAT' ENTERED AT 18:16:49 ON 30 JAN 96)  
L1 1115 S SLIT IMAGE OR SLIT LIGHT OR SLIT LAMP  
L2 387 S L1 AND ROTATION  
L3 459 S L1 AND ROTATE?  
L4 538 S L2 OR L3  
L5 239 S L4 AND EYE  
L6 82 S L5 AND PROJECTION  
L7 50 S L6 AND 351/CLAS  
=> d 17 1-50

1. 5,479,221, Dec. 26, 1995, Hand-held line grid interference  
retinometer; Helmut Heine, et al., \*\*351/214\*\*, \*\*211\*\*, \*\*217\*\*, \*\*221\*\*  
[IMAGE AVAILABLE]

2. 5,436,679, Jul. 25, 1995, Apparatus for observing and photographing a  
corneal endothelium; Hiroyuki Otsuka, et al., \*\*351/206\*\*, \*\*221\*\*;  
354/62 [IMAGE AVAILABLE]

3. 5,428,414, Jun. 27, 1995, Apparatus for measuring the refractive  
power of an optical system; Toru Iwane, \*\*351/214\*\*, \*\*211\*\*; 356/124  
[IMAGE AVAILABLE]

4. 5,355,186, Oct. 11, 1994, Ophthalmic measurement apparatus; Koichi  
Akiyama, \*\*351/215\*\*, \*\*221\*\* [IMAGE AVAILABLE]

5. 5,321,446, Jun. 14, 1994, \*\*Slit\*\* \*\*lamp\*\* microscope and  
selectively insertable diaphragm disk; Jurgen Massig, et al.,  
\*\*351/214\*\*, \*\*215\*\*; 359/235, 377 [IMAGE AVAILABLE]

6. 5,255,025, Oct. 19, 1993, Measurement apparatus for indirect  
ophthalmoscopy; Donald A. Volk, \*\*351/205\*\*, \*\*219\*\* [IMAGE AVAILABLE]

7. 5,204,705, Apr. 20, 1993, Ophthalmic measurement apparatus; Koichi  
Akiyama, et al., \*\*351/221\*\*; 128/745; \*\*351/214\*\* [IMAGE AVAILABLE]

8. 5,202,709, Apr. 13, 1993, Ophthalmological alignment and measurement  
apparatus; Tadashi Ichihashi, et al., \*\*351/208\*\*, \*\*221\*\* [IMAGE  
AVAILABLE]

9. 5,184,157, Feb. 2, 1993, Ophthalmic measurement apparatus; Tadashi  
Ichihashi, et al., \*\*351/208\*\*, \*\*221\*\* [IMAGE AVAILABLE]

10. 5,159,361, Oct. 27, 1992, Method and apparatus for obtaining the  
topography of an object; James L. Cambier, et al., \*\*351/212\*\*, \*\*247\*\*  
[IMAGE AVAILABLE]

11. 5,157,427, Oct. 20, 1992, Objective refractor; William E. Humphrey,  
\*\*351/205\*\*, \*\*211\*\* [IMAGE AVAILABLE]

12. 5,141,304, Aug. 25, 1992, Ophthalmological measurement apparatus  
having sensitivity error correction; Tadashi Ichihashi, \*\*351/221\*\*;  
128/745; \*\*351/205\*\* [IMAGE AVAILABLE]

13. 5,139,022, Aug. 18, 1992, Method and apparatus for imaging and  
analysis of ocular tissue; Philip Lempert, 128/633, 665; \*\*351/206\*\*,  
\*\*221\*\* [IMAGE AVAILABLE]

14. 5,098,426, Mar. 24, 1992, Method and apparatus for precision laser surgery; H. Alfred Sklar, et al., 606/5; 128/630; 219/121.6, 121.62, 121.85; \*\*351/209\*\*, 364/413.02, 413.13; 606/4, 10, 13 [IMAGE AVAILABLE]
15. 5,024,520, Jun. 18, 1991, Ophthalmic measurement apparatus; Koichi Akiyama, \*\*351/221\*\*, \*\*206\*\*, \*\*214\*\* [IMAGE AVAILABLE]
16. 5,018,851, May 28, 1991, Slit illuminating apparatus; Isao Matsumura, \*\*351/214\*\*, \*\*213\*\*, \*\*219\*\*, \*\*221\*\* [IMAGE AVAILABLE]
17. 5,013,146, May 7, 1991, Ophthalmological measurement apparatus; Koichi Akiyama, \*\*351/208\*\*, \*\*214\*\*, \*\*221\*\* [IMAGE AVAILABLE]
18. 5,002,384, Mar. 26, 1991, Methods and apparatus for monitoring and training \*\*eye\*\* position; Joseph N. Trachtman, \*\*351/203\*\*, \*\*210\*\* [IMAGE AVAILABLE]
19. 4,995,716, Feb. 26, 1991, Method and apparatus for obtaining the topography of an object; Joseph W. Warnicki, et al., \*\*351/212\*\*, \*\*247\*\* [IMAGE AVAILABLE]
20. 4,991,954, Feb. 12, 1991, Ophthalmic disease detection apparatus; Kouichi Akiyama, \*\*351/221\*\*, \*\*214\*\* [IMAGE AVAILABLE]
21. 4,953,969, Sep. 4, 1990, Device for correcting ocular refraction anomalies; Svyatoslav N. Fedorov, \*\*351/221\*\*, \*\*246\*\*; 606/5 [IMAGE AVAILABLE]
22. 4,950,068, Aug. 21, 1990, Ophthalmic disease detection apparatus; Susumu Mizuta, \*\*351/208\*\*, \*\*221\*\* [IMAGE AVAILABLE]
23. 4,932,774, Jun. 12, 1990, Illuminating system of ophthalmological instrument; Kazutoshi Takagi, et al., \*\*351/221\*\*, \*\*214\*\* [IMAGE AVAILABLE]
24. 4,917,486, Apr. 17, 1990, Photocoagulation apparatus; Anthony Raven, et al., \*\*351/221\*\*, 606/4, 40 [IMAGE AVAILABLE]
25. 4,894,670, Jan. 16, 1990, Slit \*\*projection\*\* apparatus; Takashi Masuda, \*\*351/214\*\*, \*\*205\*\* [IMAGE AVAILABLE]
26. 4,877,321, Oct. 31, 1989, \*\*Slit\*\* \*\*lamp\*\* microscope; Tadashi Ichihashi, et al., \*\*351/214\*\*, \*\*221\*\* [IMAGE AVAILABLE]
27. 4,863,260, Sep. 5, 1989, System for topographical modeling of anatomical surfaces; Martin Gersten, et al., \*\*351/212\*\*, \*\*221\*\*, \*\*246\*\* [IMAGE AVAILABLE]
28. 4,801,198, Jan. 31, 1989, \*\*Slit\*\* \*\*lamp\*\* attachment; Gregory L. Heacock, et al., \*\*351/214\*\*, 359/676 [IMAGE AVAILABLE]
29. 4,762,410, Aug. 9, 1988, Ophthalmic instrument; Kyoji Sekiguchi, et al., \*\*351/206\*\*, \*\*209\*\* [IMAGE AVAILABLE]
30. 4,711,541, Dec. 8, 1987, \*\*Slit\*\* \*\*lamp\*\* and accessory device thereof; Hisakazu Yoshino, et al., \*\*351/214\*\*; 128/633; \*\*351/206\*\*; 606/4 [IMAGE AVAILABLE]

31. 4,711,540, Dec. 8, 1987, \*\*Eye\*\* disease inspecting instrument; Hisakazu Yoshino, et al., \*\*351/214\*\*, 128/633; \*\*351/205\*\*, 606/4 [IMAGE AVAILABLE]

32. 4,671,631, Jun. 9, 1987, Binocular ophthalmoscope; Jesse Sigelman, \*\*351/205\*\*, \*\*214\*\*, \*\*245\*\* [IMAGE AVAILABLE]

33. 4,637,699, Jan. 20, 1987, Binocular ophthalmoscope; Jesse Sigelman, \*\*351/205\*\*, \*\*214\*\* [IMAGE AVAILABLE]

34. 4,631,580, Dec. 23, 1986, Video-stereoscopic-image-producing system; John Taube, et al., 348/47, 335; \*\*351/206\*\* [IMAGE AVAILABLE]

35. 4,582,404, Apr. 15, 1986, Sagometer; C. B. Hamilton, \*\*351/212\*\*, \*\*247\*\* [IMAGE AVAILABLE]

36. 4,580,559, Apr. 8, 1986, Indirect ophthalmoscopic photocoagulation delivery system for retinal surgery; Francis A. L'Esperance, 606/3; 128/645; \*\*351/217\*\*, 385/33; 606/4, 11, 18 [IMAGE AVAILABLE]

37. 4,533,221, Aug. 6, 1985, Methods and apparatus for accommodation training; Joseph N. Trachtman, \*\*351/203\*\*, \*\*211\*\* [IMAGE AVAILABLE]

38. 4,529,280, Jul. 16, 1985, Apparatus for subjectively measuring the refractive power of an \*\*eye\*\*; Masao Nohda, \*\*351/211\*\*, \*\*214\*\* [IMAGE AVAILABLE]

39. 4,477,159, Oct. 16, 1984, Photocoagulator; Katsuyoshi Mizuno, et al., \*\*351/221\*\*, \*\*205\*\*, \*\*214\*\*; 606/4 [IMAGE AVAILABLE]

40. 4,452,517, Jun. 5, 1984, Focusing system for \*\*eye\*\*-ground camera; Yoshimi Kohayakawa, \*\*351/206\*\*; 354/62 [IMAGE AVAILABLE]

41. 4,423,931, Jan. 3, 1984, Fundus camera accessory for analysis of the ocular fundus contour; Jerrold M. Shapiro, \*\*351/206\*\*, \*\*211\*\*; 356/376 [IMAGE AVAILABLE]

42. 4,408,847, Oct. 11, 1983, Refractory power measuring device; Shinji Wada, et al., \*\*351/211\*\*, \*\*214\*\* [IMAGE AVAILABLE]

43. 4,331,392, May 25, 1982, Ophthalmoscopic \*\*slit\*\* \*\*lamp\*\*; Masaru Sato, \*\*351/214\*\* [IMAGE AVAILABLE]

44. 4,315,672, Feb. 16, 1982, Combinable apparatus for examination of the \*\*eye\*\*; Ortwin Muller, et al., \*\*351/212\*\*, \*\*205\*\*, \*\*214\*\* [IMAGE AVAILABLE]

45. 4,175,839, Nov. 27, 1979, \*\*Slit\*\*-\*\*lamp\*\* apparatus; Ortwin Muller, et al., \*\*351/214\*\*, \*\*213\*\*, \*\*245\*\* [IMAGE AVAILABLE]

46. 4,170,398, Oct. 9, 1979, Scanning microscopic apparatus with three synchronously rotating reflecting surfaces; Charles J. Koester, 359/219; \*\*351/211\*\*; 359/221 [IMAGE AVAILABLE]

47. 4,021,102, May 3, 1977, Auto-refractometer; Tadashi Iizuka, \*\*351/211\*\*, \*\*205\*\*; 356/128 [IMAGE AVAILABLE]

48. 3,819,256, Jun. 25, 1974, APPARATUS FOR REFRACTING THE \*\*EYE\*\*; John G. Bellows, et al., \*\*351/211\*\*; 250/200; \*\*351/205\*\*, \*\*214\*\*; 356/126, 128 [IMAGE AVAILABLE]

49. 3,749,481, Jul. 31, 1973, VERTICAL SLIT ADJUSTMENT DEVICE FOR A \*\*SLIT\*\* \*\*LAMP\*\*; Irwin A. Bosack, et al., \*\*351/214\*\*; \*\*205\*\* [IMAGE AVAILABLE]

50. 3,652,153, Mar. 28, 1972, SLIT OR SPOT LAMP STEREOMICROSCOPE; Paul Frederic Marie Gambs, \*\*351/214\*\*; \*\*205\*\* [IMAGE AVAILABLE]

=>